

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS FO Box 1430 Alexandra, Virginia 22313-1450 www.nepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/829,489	04/22/2004	Paul Friedli	1-16715	6918	
43935 FRASER CLE	7590 01/27/200 MENS MARTIN & MI	EXAM	EXAMINER		
28366 KENSINGTON LANE			TRUONG, TI	TRUONG, THANHNGA B	
PERRYSBURG, OH 43551			ART UNIT	PAPER NUMBER	
		2435			
			NOTIFICATION DATE	DELIVERY MODE	
			01/27/2009	EL ECTRONIC	

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

miller@fraser-ip.com sloan@fraser-ip.com clemens@fraser-ip.com

# Office Action Summary

Application No.	Applicant(s)	
10/829,489	FRIEDLI ET AL.	
Examiner	Art Unit	
THANHNGA B. TRUONG	2435	

	THANHNGA B. TRUONG	2435					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MALLING DATE OF THIS COMMUNICATION.  Elements of time may be available under the provision of 37 CPR 11 136a). In no event, however, may a raply be limely filed after SIX (6) MONTHS from the mailing date of this communication.  If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  Failure to reply within the set or extended period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  Failure to reply within the set or extended period for reply will be provided by the specified one of the communication, cover if tending bids. Use CPR 12 12 12 12 12 12 12 12 12 12 12 12 12							
Status							
Responsive to communication(s) filed on <u>10/37</u> This action is <b>FINAL</b> . 2b)⊠ This 3)□ Since this application is in condition for allowar closed in accordance with the practice under E	action is non-final. ace except for formal matters, pro		e merits is				
Disposition of Claims							
4) Claim(s) 1-19 is/are pending in the application.  4a) Of the above claim(s) is/are withdraw  5) Claim(s) is/are allowed.  6) Claim(s) 1-19 is/are rejected.  7) Claim(s) is/are objected to.  8) Claim(s) are subject to restriction and/or							
Application Papers							
9) The specification is objected to by the Examiner 10) The drawing(s) filed on is/are: a) acce Applicant may not request that any objection to the or Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	epted or b)  objected to by the lidrawing(s) be held in abeyance. See on is required if the drawing(s) is obj	a 37 CFR 1.85(a). jected to. See 37 C					
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Applicati ity documents have been receive (PCT Rule 17.2(a)).	on No ed in this National	Stage				
Attachment(s)							
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SE/08) Paper Nots/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P	ate					

Application/Control Number: 10/829,489
Art Unit: 2435

#### DETAILED ACTION

This action is responsive to the communication filed on October 31, 2008.
 Claims 1-19 are pending. Claims 1, 7, and 19 have amended by the applicant. At this time, claims 1-19 are still rejected.

#### Response to Arguments

 Applicant's arguments filed October 31, 2008, with respect to the rejection(s) of claim(s) 1-19 under 35 USC § 102 have been fully considered and persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Gazdzinski (US 6,615,175 B1).

The fact that Examiner may not have specifically responded to any particular arguments made by Applicant and Applicant's Representative, should not be construed as indicating Examiner's agreement therewith.

# Claim Rejections - 35 USC § 103

- The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- Claims 1-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Svensson-Hilford et al (US 6,354,405 B1), and further in view of Gazdzinski (US 6,615,175 B1).

#### a. Referring to claim 1:

- i. Svensson-Hilford teaches a method for security checking or transport of persons by an elevator installation comprising the steps of:
- (1) generating at least one authentication signal unique to person seeking to use the elevator installation (column 2, lines 36-40; and line 66 through column 3, line 4 of Svensson-Hilford):

Application/Control Number: 10/829,489

Art Unit: 2435

(2) detecting the at least one authentication signal with a mobile authentication device (column 4, lines 6-14; lines 28-35 of Svensson-Hilford);

- (3) the mobile authentication device checking the at least one authentication signal with at least one person reference (column 4, lines 28-35 of Svensson-Hilford):
- (4) in the case of correspondence of the authentication signal and the person reference, the mobile authentication device providing at least one identification code (column 4, lines 6-14; lines 28-35 of Svensson-Hilford);
- (5) detecting the at least one identification code with a stationary recognition device of the elevator installation (column 4, lines 6-14; lines 28-35 of Svensson-Hilford);and
- (6) assigning to the identification code one of a predefined travel destination and an input travel destination input at the recognition device by the person (column 4, lines 6-14; lines 28-35 of Svensson-Hilford).
- ii. Although Svensson-Hilford teaches including detecting the at least one authentication signal with a mobile authentication device (column 4, lines 6-14; lines 28-35 of Svensson-Hilford), Svensson-Hilford is not clearly disclosing that the card can act as a mobile or wireless authentication device. On the other hand, Gazdzinski teaches this limitation in Figures 3 and 15 and more details in column 7, line 55 through column 8, line 13; column 18, lines 22-28 of Gazdzinski.
- iii. It would have been obvious to a person having ordinary skill in the art at the time the invention was made to:
- (1) have modified the invention of Svensson-Hilford with the teaching of Gazdzinski for providing an improved elevator information and control system and method of operating the same (column 2, lines 66-67 of Gazdzinski).
  - iv. The ordinary skilled person would have been motivated to:
- (1) have modified the invention of Svensson-Hilford with the teaching of Gazdzinski to provides an improved elevator information and control system which enables an user to rapidly locate a desired firm or individual (column 3, lines 1-3 of Gazdzinski).

Art Unit: 2435

# b. Referring to claim 2:

- Svensson-Hilford further teaches:
- (1) including supplying the mobile authentication device with electrical power from at least one energy source external to the authentication device (column 2, lines 30-40 of Svensson-Hilford).

#### c. Referring to claim 3:

- Svensson-Hilford further teaches:
- (1) including selecting as the authentication signal a biometric signal being one of a fingerprint, a hand geometry, a facial profile, an iris pattern, a retinal scan, a thermogram, a smell, a voice, a signature and pressing of a button (column 4, lines 6-14; lines 28-35 of Svensson-Hilford).

### d. Referring to claim 4:

- Svensson-Hilford further teaches:
- (1) including checking whether at least one user reference exists for the detected identification code (column 4, lines 28-35 of Svensson-Hilford).

#### e. Referring to claim 5:

- Svensson-Hilford further teaches:
- (1) including comparing the input travel destination with at least one access authorization for generating one of a control signal (column 2, lines 36-40; and column 4, lines 28-44 of Svensson-Hilford).

#### Referring to claim 6:

- Svensson-Hilford further teaches:
- (1) including comparing the input travel destination with a list of travel destinations of an access authorization for generating one of a control signal (column 2, lines 36-40; and column 4, lines 28-65 of Svensson-Hilford).

#### q. Referring to claim 7:

 i. Svensson-Hilford teaches a system for security checking or transport of persons by an elevator installation comprising:

Application/Control Number: 10/829,489

Art Unit: 2435

(1) a mobile authentication device adapted to be carried by a person, said authentication device detecting an authentication signal unique to the person and checking whether said authentication signal corresponds with a person reference, said authentication device generating an identification code when said authentication signal corresponds to said person reference (column 2, line 66 through column 3, line 4; column 4, lines 6-14; lines 28-35 of Svensson-Hilford);

- (2) a stationary recognition device of the elevator installation for detecting said identification code (column 2, line 66 through column 3, line 4 of Svensson-Hilford); and
- (3) a checking device connected to said recognition device for assigning to said identification code one of a predefined travel destination and an input travel destination input at said recognition device by the person to generate a control signal for the elevator installation (<u>column 2, lines 36-40</u>; and column 3, line 55 through column 4, line 35 of Svensson-Hilford).
- ii. Although Svensson-Hilford teaches including detecting the at least one authentication signal with a mobile authentication device (column 4, lines 6-14; lines 28-35 of Svensson-Hilford), Svensson-Hilford is not clearly disclosing that the card can act as a mobile or wireless authentication device. On the other hand, Gazdzinski teaches this limitation in Figures 3 and 15 and more details in column 7, line 55 through column 8, line 13; column 18, lines 22-28 of Gazdzinski.
- iii. It would have been obvious to a person having ordinary skill in the art at the time the invention was made to:
- (1) have modified the invention of Svensson-Hilford with the teaching of Gazdzinski for providing an improved elevator information and control system and method of operating the same (column 2, lines 66-67 of Gazdzinski).
  - iv. The ordinary skilled person would have been motivated to:
- (1) have modified the invention of Svensson-Hilford with the teaching of Gazdzinski to provides an improved elevator information and control system which enables an user to rapidly locate a desired firm or individual (column 3, lines 1-3 of Gazdzinski).

Art Unit: 2435

#### h. Referring to claim 8:

- Svensson-Hilford further teaches:
- (1) wherein said authentication device includes a sensor for generating said authentication signal in the presence of the person (column 2, lines 35-40 of Svensson-Hilford).

# . Referring to claim 9:

- Svensson-Hilford further teaches:
- (1) wherein said sensor is a camera for detecting at least one of a fingerprint, a hand geometry, a facial profile, an iris profile, a retinal scan and a signature of the person (column 2, lines 35-40; column 4, lines 28-35 of Svensson-Hilford).

#### . Referring to claim 10:

- Svensson-Hilford further teaches:
- (1) wherein said sensor is one of a thermal camera for detecting a thermogram of the person, a smell sensor for detecting a smell of the person, a microphone for detecting a voice of the person, and a button for detecting pressing of the button by the person (column 2, lines 35-40; column 4, lines 28-35 of Svensson-Hilford).

#### k. Referring to claim 11:

- Svensson-Hilford further teaches:
- wherein said authentication device is adapted to be powered by an external energy source (column 2, lines 30-40 of Svensson-Hilford).

#### Referring to claim 12:

- i Svensson-Hilford further teaches:
- (1) wherein said authentication device includes a transmitting and receiving unit and said recognition device includes a transmitting and receiving unit for communicating said identification code (column 4, lines 6-14; lines 28-35 of Svensson-Hilford).

#### m. Referring to claim 13:

i Svensson-Hilford further teaches:

Art Unit: 2435

(1) wherein said authentication device includes a data store for storing said person reference and compares said person reference with said authentication signal to generate said identification code (column 4, lines 6-14; lines 28-44 of Svensson-Hilford).

#### n. Referring to claim 14:

- Svensson-Hilford further teaches:
- (1) wherein said authentication device includes a data store for storing said identification code prior to detecting said authentication signal (column 4. lines 6-14: lines 28-44 of Svensson-Hilford).

# o. Referring to claim 15:

- Svensson-Hilford further teaches:
- (1) wherein said recognition device includes input means for receiving said input travel destination from the person (column 4, lines 6-14; lines 28-35 of Svensson-Hilford).

## p. Referring to claim 16:

- Svensson-Hilford further teaches:
- (1) wherein said checking device includes a data store for storing said predefined travel destination (column 4, lines 6-14; lines 28-44 of Svensson-Hilford).

#### q. Referring to claim 17:

- Svensson-Hilford further teaches:
- (1) wherein said checking device includes a data store for storing a user reference and compares said user reference with said identification code to generate said control signal (column 2, lines 36-40; and column 4, lines 6-14; lines 28-44 of Svensson-Hilford).

#### r. Referring to claim 18:

- Svensson-Hilford further teaches:
- (1) wherein said checking device includes a data store for storing an access authorization and compares said access authorization with one of said predefined travel destination and said input travel destination to generate said

Application/Control Number: 10/829,489

Art Unit: 2435

control signal (column 2, lines 36-40; and column 4, lines 6-14; lines 28-44 of Svensson-Hilford).

#### s. Referring to claim 5:

- i. Although Svensson-Hilford teaches including comparing the input travel destination with at least one access authorization for generating one of a control signal (column 2, lines 36-40; and column 4, lines 28-44 of Svensson-Hilford), Svensson-Hilford is silent on the capability of generating the alarm signal. On the other hand, Gazdzinski teaches this limitation in column 17, lines 35-47 of Gazdzinski.
- iii. It would have been obvious to a person having ordinary skill in the art at the time the invention was made to:
- (1) have modified the invention of Svensson-Hilford with the teaching of Gazdzinski for providing an improved elevator information and control system and method of operating the same (column 2, lines 66-67 of Gazdzinski).
  - iv. The ordinary skilled person would have been motivated to:
- (1) have modified the invention of Svensson-Hilford with the teaching of Gazdzinski to provides an improved elevator information and control system which enables an user to rapidly locate a desired firm or individual (column 3, lines 1-3 of Gazdzinski).

#### t. Referring to claim 6:

- i. Although Svensson-Hilford teaches including comparing the input travel destination with a list of travel destinations of an access authorization for generating one of a control signal (column 2, lines 36-40; and column 4, lines 28-65 of Svensson-Hilford), Svensson-Hilford is silent on the capability of generating the alarm signal. On the other hand, Gazdzinski teaches this limitation in column 17, lines 35-47 of Gazdzinski.
- iii. It would have been obvious to a person having ordinary skill in the art at the time the invention was made to:

Art Unit: 2435

(1) have modified the invention of Svensson-Hilford with the teaching of Gazdzinski for providing an improved elevator information and control system and method of operating the same (column 2, lines 66-67 of Gazdzinski).

- iv. The ordinary skilled person would have been motivated to:
- (1) have modified the invention of Svensson-Hilford with the teaching of Gazdzinski to provides an improved elevator information and control system which enables an user to rapidly locate a desired firm or individual (column 3, lines 1-3 of Gazdzinski).

### u. Referring to claim 19:

This claim has limitations that is similar to those of claims 1 thus it is rejected with the same rationale applied against claims 1-6 above.

#### Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thanhnga (Tanya) Truong whose telephone number is 571-272-3858.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kim Vu can be reached at 571-272-3859. The fax and phone numbers for the organization where this application or proceeding is assigned is 571-273-8300.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 571-272-2100.

/Thanhnga B. Truong/ Primary Examiner, Art Unit 2435

Art Unit: 2435

TBT

January 9, 2009